# **Lockington, Elliott (SPAC/PSPC)**

From: Kieran Scott < Kieran.Scott@plexxus.ca>

**Sent:** March 25, 2020 9:48 PM **To:** Parmar, Dovejot (SPAC/PSPC)

Subject: RE: Urgent guidance on medical equipment

Hi Dove.

Could I ask what the call would be about?

I have all the answers I required re: Supplier certification etc.

Thank you

## Kieran Scott | Category Management Director, Orthopedic & Medical | Plexxus |

One Dundas Street West | Suite 1700 | Toronto, ON M5G 1Z3 | Tel: 416 673-5600 X 5708 | M: 416-806-1316 | Kieran.scott@plexxus.ca

From: Parmar, Dovejot (SPAC/PSPC) <dovejot.parmar@canada.ca>

Sent: Wednesday, March 25, 2020 8:46 PM

To: Kieran Scott <Kieran.Scott@plexxus.ca>; Anatoliy MelnichukP

Subject: RE: Urgent guidance on medical equipment

Kieran,

Would you and your VP be available to chat tomorrow at 11AM EDT?

Dove

#### **Dove Parmar**

Special Assistant - Ontario | Adjoint spécial - Ontario
Office of the Honourable Anita Anand | Bureau de l'honorable Anita Anand
Public Services and Procurement Canada | Services publics et Approvisionnement Canada
dovejot.parmar@canada.ca

From: Parmar, Dovejot (SPAC/PSPC)

Sent: March-25-20 1:33 PM

To: 'Kieran Scott' < Kieran.Scott@plexxus.ca >; Anatoliy Melnichuk P

Subject: RE: Urgent guidance on medical equipment

Apologies – got tied up on calls.

Are you able to chat right now?

#### **Dove Parmar**

Special Assistant - Ontario | Adjoint spécial - Ontario
Office of the Honourable Anita Anand | Bureau de l'honorable Anita Anand
Public Services and Procurement Canada | Services publics et Approvisionnement Canada doveiot.parmar@canada.ca

From: Kieran Scott [mailto:Kieran.Scott@plexxus.ca]

Sent: March-24-20 11:56 PM

To: Parmar, Dovejot (SPAC/PSPC) < dovejot.parmar@canada.ca >; Anatoliy Melnichuk P

Subject: RE: Urgent guidance on medical equipment

Thank you.

1:00 is great.

If you are open to having my VP join the call that would be great.

Look forward to connecting.

Thank you

## Kieran Scott | Category Management Director, Orthopedic & Medical | Plexxus |

One Dundas Street West | Suite 1700 | Toronto, ON M5G 1Z3 | Tel: 416 673-5600 X 5708 | M: 416-806-1316 Kieran.scott@plexxus.ca

From: Parmar, Dovejot (SPAC/PSPC) < <a href="mailto:dovejot.parmar@canada.ca">dovejot.parmar@canada.ca</a>>

Sent: Tuesday, March 24, 2020 11:25 PM

To: Kieran Scott < Kieran. Scott@plexxus.ca >; Anatoliy Melnichuk

Subject: RE: Urgent guidance on medical equipment

I will have a window of opportunity to connect between 1pm – 4pm tomorrow.

What time would work best for you?

#### **Dove Parmar**

Special Assistant - Ontario | Adjoint spécial - Ontario
Office of the Honourable Anita Anand | Bureau de l'honorable Anita Anand
Public Services and Procurement Canada | Services publics et Approvisionnement Canada
dovejot.parmar@canada.ca

From: Kieran Scott [mailto:Kieran.Scott@plexxus.ca]

Sent: March-24-20 11:24 PM

To: Parmar, Dovejot (SPAC/PSPC) < <a href="mailto:dovejot.parmar@canada.ca">dovejot.parmar@canada.ca</a>; Anatoliy Melnichuk

Subject: RE: Urgent guidance on medical equipment

Good evening Dovejot.

My apologies for not being able to connect today. I am just getting to most of my emails now. If you would be available for a call tomorrow I would appreciate the opportunity to connect.

Thank you.

Kieran

#### Kieran Scott | Category Management Director, Orthopedic & Medical | Plexxus |

One Dundas Street West | Suite 1700 | Toronto, ON M5G 1Z3 | Tel: 416 673-5600 X 5708 | M: 416-806-1316 Kieran.scott@plexxus.ca

From: Parmar, Dovejot (SPAC/PSPC) < dovejot.parmar@canada.ca>
Sent: Tuesday, March 24, 2020 9:07 AM
To: Anatoliy Melnichuk
Cc: Kieran Scott < Kieran.Scott@plexxus.ca>
Subject: Re: Urgent guidance on medical equipment

Good morning,

Kieran - would you be able to chat this morning?

Dove

Sent from my iPhone

On Mar 24, 2020, at 8:23 AM, Anatoliy Melnichuk

Dove I wanted to introduce you to Kieran. Kieran is response

Dove I wanted to introduce you to Kieran. Kieran is responsible for procurement for over 20 hospitals in Ontario and is looking for provincial/federal guidance on acceptable supplier certification and testing guidelines.

wrote:

He specifically has questions around KN95 masks and manufacturer requirements.

--Anatoliy Melnichuk

This e-mail and its contents may contain confidential and/or privileged information for the sole use of the intended recipient(s). Any use or distribution by anyone other than the person for whom it was originally intended is strictly prohibited. If you have received this e-mail in error, please immediately contact the sender by return email and permanently delete all copies. Opinions, conclusions or other information contained in this e-mail may not be that of the organization.

This e-mail and its contents may contain confidential and/or privileged information for the sole use of the intended recipient(s). Any use or distribution by anyone other than the person for whom it was originally intended is strictly prohibited. If you have received this e-mail in error, please immediately contact the sender by return email and permanently delete all copies. Opinions, conclusions or other information contained in this e-mail may not be that of the organization.

This e-mail and its contents may contain confidential and/or privileged information for the sole use of the intended recipient(s). Any use or distribution by anyone other than the person for whom it was originally intended is strictly prohibited. If you have received this e-mail in error, please immediately contact the sender by return email and permanently delete all copies. Opinions, conclusions or other information contained in this e-mail may not be that of the organization.