

Lockington, Elliott (SPAC/PSPC)

From: Freeman, Tyler (SPAC/PSPC)
Sent: April 28, 2020 10:28 AM
To: Laporte, Anthony (SPAC/PSPC); Kusnick, Chelsea (SPAC/PSPC)
Subject: FW: RE: TR: NIOSH N95 photos, Thermo-Shield file
Attachments: Form - Request for Issuance of Purchase Order (004).pdf; Form - Bank Transfer COVID-19.pdf

From: Anand, Anita - M.P. [<mailto:Anita.Anand@parl.gc.ca>]
Sent: April 24, 2020 4:47 PM
To: Anand, Anita (SPAC/PSPC) <anita.anand@canada.ca>
Subject: Fw: RE: TR: NIOSH N95 photos, Thermo-Shield file

From: Clamoureux <clamoureux@thermo-shield.ca>
Sent: April 24, 2020 8:21 PM
To: Anand, Anita - M.P. <Anita.Anand@parl.gc.ca>
Subject: Fw: RE: TR: NIOSH N95 photos, Thermo-Shield file

Hello, here is the situation with Sigma Santé at QUEBEC
IT CONFIRMS THAT ALL GOOD BUT DOES NOT MOVE 5million N95 NIOSH AVAILABLE

Bonjour voici la situation avec Sigma Santé au QUEBEC
IL CONFIRME QUE TOUS ES BON MAIS NE BOUGE PAS . 5millions N95 NIOSH DISPONIBLE

Claude Lamoureux
Thermo-Shield

Message transferred

From: Bertha Myrthil (bmyrthil@sigmasante.com)
Date: 16/04/2020 5:45 PM
To: Clamoureux (clamoureux@thermo-shield.ca)
Subject: **RE: TR: NIOSH N95 photos, Thermo-Shield file**

Hello Mr. Lamoureux,

I finally received the confirmation of compliance. You must ensure that you have a Health Canada Establishment Licence. Once you have obtained the Licence, you must complete and submit the two attached forms.

Thank you

Bertha Myrthil
Business Process Specialist — Call for tenders
Operations Branch
SIGMASANTÉ
2953 Bélanger Street, Suite 202
Montréal, Quebec H1Y 3G4
T 514-376-5600 #2225
F 514-376-5232
bmyrthil@sigmasante.com
www.sigmasante.com

From: Clamoureux <clamoureux@thermo-shield.ca>
Sent: April 16, 2020 3:14 PM
To: Bertha Myrthil <bmyrthil@sigmasante.com>
Subject: Fw: TR: NIOSH N95 photos, Thermo-Shield file

Message transferred

From: C Lamoureux **P**
Date: 14/04/2020 7:30 PM
To: Bertha Myrthil (bmyrthil@sigmasante.com), amiclaus@sigmasante.com, clamoureux@thermo-shield.ca
Subject: **TR: NIOSH N95 photos, Thermo-Shield file**

Hello,

Here are the missing photos for the NIOSH N95 file to send to your contacts.

Please let me know as soon as you receive them and when you have sent them to your contacts.

Thanks,

Claude Lamoureux

QC : 1 888 962-8713

thermo-shield.ca

**THERMO-
SHIELD**